Product specs for LeCroy 9314L

Product Description:

LeCroy 9314L Oscilloscope, Digital: 300MHz,100MSa/s,4ch (Stand alone)

The LeCroy 9314L oscilloscope is a graph-displaying device – it draws a graph of an electrical signal. In most applications, the graph shows how signals change over time: the vertical (Y) axis represents voltage and the horizontal (X) axis represents time. The intensity or brightness of the display is sometimes called the Z axis.

The LeCroy 9314L oscilloscope's simple graph can tell you many things about a signal, such as: the time and voltage values of a signal, the frequency of an oscillating signal, the "moving parts" of a circuit represented by the signal, the frequency with which a particular portion of the signal is occurring relative to, other portions, whether or not a malfunctioning component is distorting the signal, how much of a signal is direct current (DC) or alternating current (AC) and how much of the signal is noise and whether the noise is changing with time.

Performance Characteristics of the 9314L

Form Factor Benchtop
Bandwidth 300 MHz
Number of Channels 4 ch
Simultaneous Maximum Sampling Rate/ch 100 MSa/s

One ch. only max. sampling rate

100 MSa/s

Max. Single Shot bandwidth

300 MHz

1000000 pt/

Max. Record Length 1000000 pt/sec

Min. Vertical Sensitivity

Maximum Vertical Sensitivity

S V/div

Number of Bits

Input Impedance

Input Impedance (alternate)

Input Coupling

Maximum Input Voltage

2 mV/div

5 V/div

8 bits

1 MOhm

AC,DC,GND

Maximum Input#2 (for Impedance #2) 5 Vrms
Main time base - lowest 1 ns/div
Main time base - highest 1000 s/div
Timebase accuracy 0.002 %

Trigger Source External, Internal

Trigger Modes Auto, Drop, Logic, Normal, Single, Stop, Width

Minimum Trigger Holdoff 25 ns

Trigger Sensitivity 0.5 mV

Display Type CRT Monochrome

Display Size 22.86 cm

Display modes Infinite, Normal, Persistence, X/Y

Programmability/Connectivity of the 9314L

User Interface Proprietary
Ports to Peripheral Devices GPIB,RS232

9314L Compliance

CE Compliance Not on file UL Compliance Not compliant

9314L Power Requirements

Input Power Universal (Auto Sense and Switch)